



www.santos.fr

**ESPRESSO COFFEE
GRINDER # 06**



Internationally patented models





THE GENUINE ESPRESSO COFFEE GRINDER

Traditional reliable and robust coffee grinder.

Easy to use and efficient, the coffee grinder # 06 will give you a high quality grinding. Ideal for hotels, bars, restaurants, catering...




**Average output
8 kg/hour**

1 kg (2.2lbs) hopper

Precision grinding,
from very fine to coarse.
Easy to adjust

Powerful reliable commercial motor
5-year warranty

Stainless steel and aluminium body



06A Automatic espresso coffee grinder: Starts and stops automatically to keep the portion dispenser full.

Ø 63.5 mm (2,5") grinding discs:
high resistance, long lasting
**Designed and manufactured
by Santos for a high quality grinding**

**Very precise volumetric dispenser
with counter.**
Easy to adjust dosing (from 6.5 to 9 grams)

Universal tamper
Ø 55 mm for all filters (single, double)

Filter holder fork, **for all types
of filter holders**

A FULL RANGE OF ESPRESSO COFFEE GRINDERS



06

Historic
Reliable and robust



40 A

Classic
Silent, reliable and robust



55

Automatic
Silent and quick.
Warranty of fresh ground coffee



60

Pratic
Silence, performance
and modularity

ESPRESSO COFFEE GRINDER #06



COFFEE GRINDERS: SANTOS KNOW-HOW

www.santos.fr

Santos, more than 60 years experience

- Since 1954, we manufacture our own grinding discs for better results
- Santos is the leader in “Silent” coffee grinders for 15 years
- Constant and fine grinding, constant portion dispensed
- No “burn coffee” effect while grinding, no electrostatic coffee phenomenon
- Easy to adjust (grinding and dosing) and to maintain (changing the grinding discs is very easy)



TECHNICAL SPECIFICATIONS



Motor


Single phase: 100-120V – 50/60 Hz – 310W – CE, UL
220-240V – 50/60 Hz – 360W – CE

Speed: I 500rpm (50Hz)
I 800rpm (60Hz)




Weight

Net: 10Kg (22lbs)
Shipping: 12Kg (26lbs)



APPLIANCE

D : 350 mm (13.8")
W : 230 mm (9")
H : 565 mm (22.2")



SHIPPING BOX

D: 370 mm (15")
W: 290mm (11.4")
H : 530mm (21")

SAFETY, STANDARDS, HYGIENE

In accordance with the following regulations

Machinery directive 2006/42/EC
Electromagnetic compatibility 2004/108/EC
“Low voltage” Directive 2006/95/EC
Regulation 1935/2004/EC (contact with food)
RoHS directive 2002/95/EC

Harmonized European Standards

EN ISO 12100-1 and 2 :2004
EN 60204-1 : 2006
EN 60335-2-64 : 2004 Commercial electric kitchen machines
CE (European standards), UL (USA) and cUL (Canada)

Electrical safety

- On/Off interlock switch is waterproof
- All mechanical parts are ground (earth) connected
- All equipment is perfectly controlled after assembly (special electrical testing bay)

Thermal Safety

Motor protected by internal thermal detector

Acoustic Safety

Very silent asynchronous motor

Hygiene

All removable parts can be put in a dishwasher or easily cleaned with hot soapy water.

PRODUCT: 2-YEAR WARRANTY – MOTOR: 5-YEAR WARRANTY