

Patty Former



**F 2000 • F 3000 • F 4000
HD 3000 Pneumatic**

Products



F 2000 / F 3000

The F2000/3000 models standard model fitted with a single phase A.C. motor.

Mod. F2000 production max 2000 pieces per hour.
Mod. F3000 production max 3000 pieces per hour.



F 4000

F4000 models have as a option a continuous feed hopper for greater productivity.



HD 3000 pneumatic – Fixed Speed

Machine lowered for ease of loading. Extended hopper for continuous production flow. Flighted conveyor for efficient removal of the final product.

Frame and base of the hopper constructed in casting peraluman G-ALMG3 UNI 3059-50. Specifically alloy for goods, according to the directive en 1672-2:1997, to resist corrosions caused by acids and salt.

Paddles, drum and scraper arm




Paddles, drum and scraper arm have quick release mechanisms for quick drum change and ease of cleaning.

Paper attachment



The papering attachment automatically papers the product allowing the stacking of individual products.

Personalised shaped drums



100 mm included

Technical specifications

Standard features

	F2000	F3000	F4000	HD3000
MOTOR 1 HP (.75Kw) mn-7,9A220/50 Hz - 115/60 Hz IP55	Standard	Standard	Standard 3 ph	Standard
SPEED	2000 rpm	3000 rpm	VAR 0/4000	3000 rpm
PAPER FEDER	Option	Option	Option	Option
MAX PAPER DIMENSION	135 x 135 mm	135 x 135 mm	135 x 135 mm	135 x 135 mm
SHAPE - MAX DIAM - SINGLE SHAPE	125	125	125	125
SHAPE - MAX DIAM - DOUBLE SHAPE	50	50	50	50
FOOT SWITCH	Standard	Standard	Standard	Standard
PNEUM WIRE CLEANER	Option	Option	Option	Standard
STANDARD CONVEYOR 390 mm	Standard	Standard	Standard	1180 mm on frame
LONGER CONVEYOR 900 mm	Option	Option	Option	non disponibile/not available
INOX CONVEYOR	Option	Option	Option	Option
STANDARD HOPPER 25 lt	Standard	Standard	Standard	non disponibile/not available
LARGER VERTICAL HOPPER 40 lt	Option	Option	Option	Standard
DIMENSION	70 x 58 x 76 ht	70 x 58 x 76 ht	70 x 58 x 76 ht	150 x 90 x 120
WEIGHT	65 kg	65 kg	68 kg	102 kg
PACKED WEIGHT	69 kg	69 kg	69 kg	110 kg
PACKING DIMENSION	77 x 70 x 96 ht	77 x 70 x 96 ht	77 x 70 x 96 ht	-

Dimensions

